

GF Electrofusion & Butt weld

Premium Quality PE100 Electrofusion and Butt weld Fittings.



TECHNICAL GUIDE: **PF4.1**

Applications

Potable water

Raw water

Waste water

Slurry

Product Attributes

Comprehensive range

Modular system

Approvals/Standards

Watermark approval

AS/NZS 4129 – 2008 Approved

Quality

ISO 9001:2008 Quality Management System

ISO 14001:2004 Environmental Management System

Founded in 1802, and headquartered in Switzerland, Georg Fischer (GF) manufacture a comprehensive range of electrofusion and butt weld fittings for use on PE80 and PE100 pipe from SDR 7.4 to SDR17.

Product Attributes

- Pressure ratings up to 16 bar
- Big couplers:
 - *Larger diameter to allow easier installation of oval pipes*
 - *Smooth internal finish*
 - *Reduced installation time without the need for preheating*

Product Range

- Couplers sizes 20 mm – 1200 mm
- Saddles up to 1000 mm

Long Spigot Butt weld

Stub Flanges - BWSF



Elbows - BWE



Reducers - BWR



Tees - BWT



End Caps - BWEC



Electrofusion

Couplers - EFC



Tees - EFT



Elbows - EFE



Adaptors - EFCM



Reducers - EFR



Saddles - EFS



Electrofusion Tools





Scan for more
information

Disclaimer: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hygrade Water product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hygrade Water unless expressly stated in any sale and purchase agreement entered into between Hygrade Water and the user.

December 2019