


# Maestro 600mm Hinged Cover and Frame

High Performance Class D400 (EN124) Hinged Access Cover System, where durability and sealing against odours, and reducing water ingress are priorities.



TECHNICAL GUIDE: **CG2.1**

## Applications

High Intensity traffic environments  
Wastewater Networks  
Stormwater Networks

## Product Attributes

600mm clear opening  
Features completely sealed hinge cavity  
Special automotive grade EPDM seal for ultimate stability and longevity.  
Semi circular seating profile ensures a tight seal that prevents odours escaping, and limits water ingress.

## Approvals/Standards

Rated to Class D400 to EN124 – exceeds HN-HO-72 Transit load requirement  
AS3996:2019 Class E

## Quality

Manufactured to a high standard in Ductile Iron Grade 500/7

Ductile Iron access cover system for use in high intensity traffic environments. Where strength, performance and stability are required, the MAESTRO is the market leader.

### Features

- Rated to Class D400 to EN124 – exceeds HN-H0-72 Transit load requirement.
- Secured to frame with three flexible front/rear torsion spring bars.
- Multi purpose keyway allows for opening with pick or bar – no special tools required.
- Locking key required when using lockable cover.

### Accessories

- Personalisation available e.g. council logo.
- Captive Hinge – before product installation insert a 12 x 180 mm pin.

### Testing

- Tested by independent third party laboratory OPUS International Consultants Limited to load rating of 400 kN (40 Tonne Ultimate Design Load) to meet AS3996:2019 Class E, EN124 Class D. Nominal wheel loading 8,000kg.

### Dimensions

- Clear Opening – 600mm
- Overall Dimension – 850mm
- Depth of Frame – 100mm




FIG. 1 Product Dimensions

### Product Range

Code	Description
DIMHMCFHSS	Maestro Hinged and Sealed MH Cover and Frame 600mm
DIMHMCFHSS-X	Maestro Hinged and Sealed MH Cover and Frame 600mm- X
DIMHMLCFHSS	Maestro Hinged and Sealed Locking MH Cover and Frame 600mm
DIMHMCFTCCSTW	Maestro Hinged and Sealed MH Cover and Frame 600mm Stormwater Tauranga City Council
DIMHMCFTCCWW	Maestro Hinged and Sealed MH Cover and Frame 600mm Sewer Tauranga City Council
DIMHMCFHSSSEWWCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Sewer Wellington City Council
DIMHMCFHSSSTWCCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Stormwater Wellington City Council
DIMHMCFHSSSTWNCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Stormwater Nelson City Council
DIMHMCFHSSWTWNCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Wastewater Nelson City Council
DIMHMCFHSSSTWCCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Stormwater Christchurch City Council
DIMHMCFHSSWTWCCC	Maestro Hinged and Sealed MH Cover and Frame 600mm Wastewater Christchurch City Council
DIMHMCFHSS-S	Replacement Maestro Seal 600mm EPDM
DIMHBLKSS	Locking Key for Maestro, Solo, Brio DI MH Cover

## Available Regionally

### Tauranga City Council

Code	Description
DIMHMCFTCCSTW	Maestro Access Cover Ø600 Stormwater
DIMHMCFTCCWW	Maestro Access Cover Ø600 Wastewater



FIG. 2 DIMHMCFTCCSTW



FIG. 3 DIMHMCFTCCWW

### Wellington City Council

Code	Description
DIMHMCFHSSTWWCC	Maestro Access Cover Ø600 Stormwater
DIMHMCFHSSEWWCC	Maestro Access Cover Ø600 Wastewater



FIG. 4 DIMHMCFHSSTWWCC



FIG. 5 DIMHMCFHSSEWWCC

### Nelson City Council

Code	Description
DIMHMCFHSSTWNCC	Maestro Access Cover Ø600 Stormwater
DIMHMCFHSWTWNCC	Maestro Access Cover Ø600 Wastewater



FIG. 6 DIMHMCFHSSTWNCC



FIG. 7 DIMHMCFHSWTWNCC

### Christchurch City Council

Code	Description
DIMHMCFHSSTWCCC	Maestro Access Cover Ø600 Stormwater
DIMHMCFHSWTWCCC	Maestro Access Cover Ø600 Wastewater



FIG. 8 DIMHMCFHSSTWCCC



FIG. 9 DIMHMCFHSWTWCCC



Scan for more information

**Disclaimer:** While every effort has been made to ensure that the information in this document is correct and accurate, users of Hygrade Water product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hygrade Water unless expressly stated in any sale and purchase agreement entered into between Hygrade Water and the user.

**March 2023**

**0800 494 723**  
**hygradewater.co.nz**

**102 Neilson Street**  
Onehunga, Auckland 1061, New Zealand  
PO Box 58 142, Botany, Auckland 2163

