



Technical Guide FM2.10

# **BT RF Master**

Radio Bluetooth Master Unit for Mobile Meter Reading

Designed by Itron, this radio Bluetooth master unit can read meters equipped with radio interface units, using any kind of reading terminals equipped with Bluetooth interface.



#### **ADAPTABILITY**

The BT RF master is the interface needed to read any meter mounted with a RADIAN compatible radio module:

- » Itron water meters
- » Itron gas meters
- » Other meters

It allows automatic reading with any reading terminal, providing that the latter is equipped with Bluetooth.

#### **EASE OF USE**

The three diodes implemented on the BT RF Master make it easy to follow-up and trouble-shoot the Communication process in real-time by:

- » Bluetooth Communication between the reading terminal and the BT RF master unit
- » Battery charge indication
- » Radio communication with radian compatible module
- » Confirmation of radio signal reception from the meter

The BT RF Master unit includes a protection bag with integrated belt clip located on its rear side to easily fix it on a belt, a pocket side or any other support.

### **RELIABLE PERFORMANCE**

The BT RF Master is temperature regulated to give the best results in any weather conditions.

It is auto – alimented with rechargeable standard batteries- performing up to 2000 radio readings per day with batteries full-charged, large full day autonomy – 8 h permanent BT communication.






Bluetooth RF Master Architecture

#### **Technical Characteristics**

Radio Frequency Features	
Protocol	RADIAN
Modulation	Frequency Shift Keying
Frequency carrier	433.82 MHz
Radiated power	< 10 mW
Transmission	Symmetrical 2 way communication
Outputs	
Communication layer	Bluetooth v.2.2. + EDR
Power source	External (Ni-MH batteries 1000 mA) +5 VDC ±10%
Functional Specifiations	
Dimensions	H 112 x L 62 x P 38 mm, without antenna
Weight	205 g
Operating temperature	-10°C / +55°C
Storage temperature	-20°C / +70°C
Conformity certified, in accordance with the European R&TTE directive (1999/5/EC)	



## **ACCESSORIES**

- » Spare aerial
- » Mini USB cable
- » Protection bag



Easy communication follow-up using the three diods



Scan for more information

**Disclaimer**: While every effort has been made to ensure that the information in this document is correct and accurate, users of Hygrade Water product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hygrade Water unless expressly stated in any sale and purchase agreement entered into between Hygrade Water and the user. **November 2024** 

